

MULTIMODAL EQUIPMENT



Our Equipment

CLdN operates a modern fleet of containers, trailers and specialised equipment designed for efficient multimodal transport across Europe.

Built around 45ft pallet-wide units, our fleet maximises load efficiency across a wide range of cargo types, from standard palletised goods to temperature-controlled and oversized freight. Our equipment is continuously updated to support efficient and reliable cargo movement.

Equipment Specification



45ft Pallet-Wide HC Container

Our fully-ventilated, 45ft PW/HCs are designed for long-distance transport via truck, rail, barge, and ship, and are ideal for transporting palletised FMCG products.

Dimensions

| | |
|-----------------|---------|
| Internal length | 13.56 m |
| Internal width | 2.44 m |
| Internal height | 2.70 m |
| External length | 13.72 m |
| External width | 2.50 m |
| External height | 2.90 m |

Door

| | |
|--------|--------|
| Height | 2.59 m |
| Width | 2.42 m |

Capacity

| | |
|--------------|-------------------|
| Volume | 89 m ³ |
| Euro pallets | 33 |

Weights

| | |
|------------------|--------|
| Tare | 4.23 t |
| Max gross weight | 34 t |



45ft Pallet-Wide HC Reefer

Our 45ft PW/HC reefer containers are designed for transport by ship, rail and truck, and are ideal for the efficient movement of temperature-sensitive cargo across multimodal networks.

Dimensions

| | |
|-----------------|---------|
| Internal length | 13.28 m |
| Internal width | 2.44 m |
| Internal height | 2.58 m |
| External length | 13.81 m |
| External width | 2.55 m |
| External height | 2.90 m |

Door

| | |
|--------|--------|
| Height | 2.57 m |
| Width | 2.44 m |

Capacity

| | |
|--------------|---------------------|
| Volume | 83.5 m ³ |
| Euro pallets | 33 |

Weights

| | |
|------------------|--------|
| Tare | 5.99 t |
| Max gross weight | 34 t |



40ft HC Reefer

Our 40ft HC reefer containers are designed for transport by ship, rail and truck, and are ideal for the safe movement of temperature-sensitive cargo within standard containerised logistics.

Dimensions

| | |
|-----------------|---------|
| Internal length | 11.58 m |
| Internal width | 2.29 m |
| Internal height | 2.54 m |
| External length | 12.19 m |
| External width | 2.44 m |
| External height | 2.90 m |

Door

| | |
|--------|--------|
| Height | 2.57 m |
| Width | 2.29 m |

Capacity

| | |
|--------|---------------------|
| Volume | 67.6 m ³ |
|--------|---------------------|

Weights

| | |
|------------------|--------|
| Tare | 4.56 t |
| Max gross weight | 34 t |

Over 9,000 cutting-edge trailers and containers supporting an integrated network of ports, ships and rail terminals across Europe



13.6m Huckepack Trailers

Our 13.6m Code XL Huckepack trailers are designed for transport by ship, train, and truck, and are ideal for rear, side, and top loading and offloading.

| Dimensions | |
|-----------------|---------|
| Internal length | 13.62 m |
| Internal width | 2.48 m |
| Internal height | 2.70 m |
| External length | 13.90 m |
| External width | 2.50 m |
| External height | 4.00 m |

| Door | |
|--------|--------|
| Height | 2.63 m |
| Width | 2.48 m |

| Capacity | |
|--------------|----------------------|
| Volume | 91.20 m ³ |
| Euro pallets | 34 |

| Weights | |
|------------------|--------|
| Tare | 6.83 t |
| Max gross weight | 34 t |



20ft & 45ft Flatrack

Our 20ft and 45ft PW/HC flatrack containers are designed for transport by ship, rail and truck, and are ideal for side and top loading of oversized, heavy and non-containerised cargo.

| Dimensions | 20ft | 45ft HCPW |
|--------------------------|--------|-----------|
| Length (side loading): | 5.62 m | 13.17 m |
| Length (top loading): | 5.94 m | 13.50 m |
| Width: | 2.44 m | 2.50 m |
| Width inside stanchions: | 2.20 m | 2.27 m |
| Height: | 2.29 m | 2.43 m |
| External length: | 6.06 m | 13.71 m |

| Weights | | |
|------------------|-------|--------|
| Tare | 2.7 t | 5.57 t |
| Max gross weight | 34 t | 34t |

All dimensions, weights and capacities may vary depending on equipment type, production year and manufacturer.

Connect with us

cargo.sales@cldn.com | +32 50 55 22 50 | www.cldn.com

